

| Ref #    | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|----------|------|---|---|------------------|---------|------------------|
| L18      | 35   | 17 AND @ad<"20020212"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 16:49 |
| L19      | 32   | 18 AND stor\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 16:49 |
| L15      | 8    | (filter\$3 OR discriminat\$3)SAME((e\$1mail OR mail) NEAR3 buffer)            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 16:47 |
| L16      | 8    | (filter\$3 OR discriminat\$3 OR Siev\$3)SAME((e\$1mail OR mail) NEAR3 buffer) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 16:47 |
| L17      | 53   | (filter\$3 OR discriminat\$3 OR Siev\$3)AND((e\$1mail OR mail) NEAR3 buffer)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 16:47 |
| L14      | 52   | (filter\$3 OR discriminat\$3)AND((e\$1mail OR mail) NEAR3 buffer)             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 16:38 |
| S10<br>4 | 3    | S103 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 13:29 |
| S10<br>0 | 172  | mail NEAR2 index  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 13:28 |
| S10<br>2 | 2    | S100 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 13:28 |
| S10<br>3 | 212  | ((mail OR e\$1mail) NEAR2 index)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME             | ON      | 2005/01/20 13:28 |

|          |       |   |   |      |    |                  |
|----------|-------|---|---|------|----|------------------|
| S10<br>1 | 2     | S100 SAME (record SAME<br>append\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/20 13:26 |
| S1       | 38962 | (Base OR stand OR support)<br>WITH (PDA OR (personal NEAR<br>digital NEAR assistance) OR<br>((mobile OR hand\$1held OR<br>wire\$1less) NEAR3 (device OR<br>terminal OR phone OR telephone<br>OR terminal))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/20 13:25 |
| S98      | 2     | S95 AND (append\$3 SAME file)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:59 |
| S99      | 2     | S95 AND (append\$3 SAME file)<br>AND record   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:59 |
| S96      | 2     | S95 AND (append\$3 NEAR4 file)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:51 |
| S97      | 13    | (append\$3 NEAR4 file)WITH<br>format WITH area  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:45 |
| S95      | 2     | (mail OR e\$1mail)WITH append\$3<br>WITH file WITH format WITH index  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:43 |
| S94      | 62    | (mail OR e\$1mail)WITH append\$3<br>With file WITH format   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:37 |
| S91      | 977   | (mail OR e\$1mail)WITH index\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:36 |
| S93      | 15    | S92 AND @ad<"20020212"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:18 |

|     |      |   |   |      |    |                  |
|-----|------|---|---|------|----|------------------|
| S90 | 15   | S89 AND @ad<"20020212"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:17 |
| S92 | 19   | S91 SAME append\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:17 |
| S89 | 26   | S87 SAME (HTML OR text)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:01 |
| S88 | 23   | S87 WITH stor\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 20:00 |
| S87 | 87   | S86 WITH format   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 19:50 |
| S86 | 2935 | (mail OR e\$1mail)WITH<br>(discriminat\$3 OR filter\$3)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 19:49 |
| S85 | 5    | filter\$3 WITH E\$1mail WITH<br>format WITH stor\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 19:48 |
| S84 | 9    | (classify\$3 OR discriminat\$3 OR<br>filter\$3) WITH content WITH<br>format WITH (mail OR e\$1mail) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 19:27 |
| S83 | 3    | classify\$3 WITH content WITH<br>format WITH (mail OR e\$1mail)                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 19:19 |
| S82 | 5    | S80 AND ((fileter\$3 OR<br>discriminat\$3)SAME format)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 19:17 |
| S81 | 6    | S80 SAME (fileter\$3 OR<br>discriminat\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 19:04 |

|     |     |  |   |      |    |                  |
|-----|-----|--|---|------|----|------------------|
| S79 | 11  | S78 SAME memory  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 18:59 |
| S80 | 197 | (e\$1mail OR mail)NEAR2 buffer   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 18:59 |
| S78 | 148 | index\$3 WITH (email OR e-mail)<br>WITH stor\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 18:52 |
| S76 | 33  | (discriminat\$3 OR filter\$3) WITH<br>classify\$3 WITH format  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 18:51 |
| S73 | 21  | S72 AND @ad<"20020212"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:46 |
| S75 | 27  | S74 AND @ad<"20020212"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:46 |
| S74 | 40  | (Discriminat\$3 OR distinguish\$3<br>OR separate\$3 OR categoriz\$3<br>OR classify\$3) WITH (e\$1mail OR<br>mail) WITH format SAME (text OR<br>HTML) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:45 |
| S71 | 124 | S70 AND @ad<"20020212"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:37 |
| S72 | 26  | S70 SAME storage   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:36 |
| S7  | 309 | S6 AND @ad<"20020212"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:33 |
| S69 | 12  | (mail OR e\$1mail)SAME<br>(discriminat\$3 OR filter\$3) SAME<br>(unit OR means OR<br>function)SAME (text AND HTML)                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:32 |

|     |       |   |   |      |    |                  |
|-----|-------|---|---|------|----|------------------|
| S70 | 144   | (mail OR e\$1mail)NEAR4 discrimination  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:32 |
| S68 | 1     | (mail OR e\$1mail)NEAR6 (discriminat\$3 OR filter\$3) NEAR3 (unit OR means OR function)SAME (text AND HTML) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:23 |
| S63 | 130   | (mail OR e\$1mail)discriminat\$3 NEAR3 (unit OR means OR function)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:22 |
| S65 | 1     | sender SAME receiver SAME theme SAME content SAME (mail OR e\$1mail)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:21 |
| S66 | 1     | (sender OR from) SAME (receiver OR to OR CC) SAME theme SAME content SAME (mail OR e\$1mail)                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:21 |
| S67 | 1     | S63 SAME text SAME HTML   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/18 15:21 |
| S62 | 15    | S61 AND (e-mail OR email).ab.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/14 20:22 |
| S60 | 51750 | (dock\$3 NEAR3 station) OR cradle OR (base NEAR4 (PDA OR handheld OW wire\$1less))                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/14 18:28 |
| S61 | 22004 | S60.ab.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/14 18:28 |
| S59 | 13    | S58 AND @ad<"20010301"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/14 18:27 |
| S58 | 40    | S57 SAME memory SAME function   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/14 17:32 |

|     |      |   |   |      |     |                  |
|-----|------|---|---|------|-----|------------------|
| S57 | 2038 | PDA WITH e\$1mail                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/14 17:12 |
| S56 | 24   | S55 AND (e-mail OR email)                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 18:34 |
| S54 | 113  | S53 SAME (PDA OR wire\$1less<br>OR hand\$1held) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 18:33 |
| S55 | 72   | S54 AND @ad<"20020212"                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 18:33 |
| S52 | 0    | memory WITH (cradle OR dock)<br>WITH e\$1mail   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 18:32 |
| S53 | 686  | memory WITH (cradle OR dock)                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 18:32 |
| S38 | 95   | S37 AND @ad<"20020212"                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 17:06 |
| S51 | 15   | S50 AND @ad<"20020212"                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 17:06 |
| S50 | 32   | cradle SAME email                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 17:04 |
| S48 | 2    | S47 SAME PDA                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | OFF | 2005/01/12 16:07 |
| S47 | 20   | (cradle OR dock) SAME memory<br>SAME e\$1mail   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | OFF | 2005/01/12 16:04 |

|     |      |  |   |      |     |                  |
|-----|------|--|---|------|-----|------------------|
| S44 | 8    | cradle SAME memory SAME e\$1mail   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | SAME | ON  | 2005/01/12 16:03 |
| S45 | 18   | cradle WITH e\$1mail   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | SAME | ON  | 2005/01/12 15:55 |
| S46 | 6    | S45 AND dock\$3 AND PDA  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | SAME | ON  | 2005/01/12 15:55 |
| S43 | 9    | S42 AND @ad<"20020212"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | SAME | ON  | 2005/01/12 15:51 |
| S41 | 8    | S39 AND dock\$3 AND cradle   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | SAME | ON  | 2005/01/12 15:23 |
| S42 | 23   | S37 SAME memory  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | SAME | ON  | 2005/01/12 15:23 |
| S40 | 6    | S38 AND S39  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | SAME | ON  | 2005/01/12 14:36 |
| S31 | 4498 | (709/206,213,216,202).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/01/12 14:35 |
| S39 | 4498 | (709/206,213,216,202).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2005/01/12 14:35 |
| S37 | 185  | (cradle OR dock OR base)WITH (email OR e-mail)WITH (PDA OR (hand\$1held NEAR3 device) OR mobile) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | SAME | ON  | 2005/01/12 14:34 |



|     |     |   |   |      |     |                  |
|-----|-----|---|---|------|-----|------------------|
| S33 | 22  | S32 AND @ad<"20020212"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 10:00 |
| S36 | 1   | S33 AND dock\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 10:00 |
| S34 | 76  | (dock\$3 OR base) SAME (PDA<br>OR (mobile NEAR3 device))SAME<br>(email OR e-mail)SAME (access<br>OR function) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | OFF | 2005/01/12 09:59 |
| S35 | 2   | S34 AND S31   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | OFF | 2005/01/12 09:59 |
| S30 | 173 | (dock\$3 OR base) SAME (PDA<br>OR (mobile NEAR3 device))SAME<br>(email OR e-mail)SAME (access<br>OR function) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 09:58 |
| S19 | 60  | S18 AND @ad<"20020212"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 09:55 |
| S32 | 33  | S30 AND S31   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/12 09:55 |
| S29 | 16  | S28 SAME (email OR e-mail)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/11 15:49 |
| S28 | 778 | dock\$3 NEAR4 cradle  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/11 15:48 |
| S27 | 5   | (base OR dock\$3)SAME cradel  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/11 15:47 |
| S24 | 0   | (base OR dock\$3)NEAR2 e\$1mail<br>NEAR4 cradel   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON  | 2005/01/11 15:46 |



|     |     |  |   |      |    |                  |
|-----|-----|--|---|------|----|------------------|
| S25 | 0   | (base OR dock\$3)WITH e\$1mail<br>WITH cradel        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:46 |
| S26 | 0   | (base OR dock\$3)SAME e\$1mail<br>SAME cradel        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:46 |
| S17 | 368 | (base OR dock\$3)NEAR2<br>E\$1MAIL                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:45 |
| S23 | 7   | S21 SAME e\$1mail                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:37 |
| S15 | 11  | S10 AND S14  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:36 |
| S21 | 74  | dock WITH PDA  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:36 |
| S22 | 43  | S21 AND @ad<"20020212"                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:36 |
| S20 | 7   | S19 AND (e\$1mail WITH (access<br>OR functional\$3)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:19 |
| S18 | 74  | S17.ab.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:18 |
| S12 | 256 | S11.tl.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:17 |
| S16 | 100 | (base OR dock\$3)NEAR2 EMAIL                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/11 15:16 |

|     |        |  |   |      |    |                  |
|-----|--------|--|---|------|----|------------------|
| S14 | 1116   | S11.ab.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 17:12 |
| S10 | 443147 | (dock\$3 OR cradle OR base).ti.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 17:10 |
| S11 | 7583   | e\$1mail NEAR4 (access OR<br>function)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 17:10 |
| S9  | 3      | S1 SAME (dock\$3 OR<br>cradle)SAME e\$1mail SAME<br>access\$3                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 17:09 |
| S6  | 446    | S1 SAME (dock\$3 OR cradle)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 17:07 |
| S8  | 55     | (expand\$3 OR increas\$3) AND<br>(capacity OR memory) AND<br>e\$1mail AND S7           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 17:00 |
| S3  | 70     | (expand\$3 OR increas\$3) SAME<br>(capacity OR memory) SAME<br>e\$1mail SAME access\$3 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 16:59 |
| S2  | 26786  | S1 AND @ad<"20020212"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 16:58 |
| S5  | 2527   | S1 AND (dock\$3 OR cradle)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 16:58 |
| S4  | 10     | S2 AND S3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | SAME | ON | 2005/01/10 16:57 |